

Candian Journal Anesthesia

Index of Authors

Volume 55, December 2008

A

- Abrishami A.* See *Zaki A.*
Abushahwan I. See *Murto K.*
Ackery A. See *Rigamonti A.*
Adamanti S. See *Danelli G.*
Abier J. See *McDonnell C.*
Ahoude AA. See *Brown KA.*
Allaouchiche B. See *Bouvet L.*
Allen TK. See *George RB.*
Amari E. See *Ansermino JM.*
Amonkou AA. See *Brouh Y.*
Ansermino JM, Dosani M, Amari E, Choi PT, Schwarz SKW. Defining rules for the identification of critical ventilatory events, 702
Ansermino M. See *Chau A.*
Archer D, Roth S. Anesthetics are exciting! Implications of pharmacologically-induced nociceptive hyperreflexia [editorial], 6
Arheart KL. See *Harris EA.*
Atkins BZ. See *Barbeito A.*
Avidan M. See *Cattano D.*

B

- Baciarello M.* See *Danelli G.*
Backman SB. See *Uria M.*
Bagshaw SM, Delaney A, Farrell C, Drummond J, Brindley PG. Steroids to prevent post-extubation airway obstruction in adult critically ill patients, 382
Bagshaw SM. See also *Brindley PG.*
Baker AJ. See *Rigamonti A.*
Balasubramanian S. See *Dhir S.*
Balki M. See *Costello JF.*
Banks B. See *Wasowicz M.*
Bar-Yosef S. See *Barbeito A.*
Barbeito A, Bar-Yosef S, Lowe JE, Atkins BZ, Mark JB. Unusual cause of superior vena cava syndrome diagnosed with transesophageal echocardiography, 774
Barman SM. See *Gebber GL.*
Baxter AD, Cardinal P, Hooper J, Patel R. Medical emergency teams at The Ottawa Hospital: the first two years, 223
Bazin J-E. See *Perbet S.*
Beattie WS. See *Naughton F.; Yang H.*
Bellingham GA, Dhir AK, Luke PP. Case report:

- Retroperitoneoscopic pheochromocytoma removal in an adult with Eisenmenger's syndrome, 295
Benhamou D. Maternal mortality from eclampsia in developing countries: some progress, but still a major challenge [editorial], 397
Bevan JC. Consent in the crossfire [editorial], 495
Bolandard F. See *Perbet S.*
Boselli E. See *Bouvet L.*
Bouvet L, Stoian A, Jacquot-Laperrière S, Allaouchiche B, Chassard D, Boselli E. Laryngeal injuries and intubating conditions with or without muscular relaxation: an equivalence study, 674
Bowering JB. See *Ree RM.*
Bracco D. See *Hemmerling TM.*
Brant, RF. See *Brasher PMA.*
Brasher PMA, Brant, RF. Problems of multiplicity [editorial], 259
Breitkreutz R. See *Bybahn C.*
Brindley PG, Simmonds M, Meggison H, Simmonds K, Bagshaw SM. Steroids in sepsis: bulking up the evidence, 648
Brindley PG. See also *Bagshaw SM.*
Brooks C. See *Singh SI.*
Brouh Y, Ndjoundo PG, Tetchi YD, Amonkou AA, Pete Y, Yapobi Y. Les éclampsies en centre hospitalier universitaire en Côte d'Ivoire: prise en charge, évolution et facteurs pronostics [Eclampsia at a teaching hospital in Ivory Coast: management, outcome and prognostic factors], 423
Brown KA, Ahoude AA, Galiana HL, Kearney RE. Automated respiratory inductive plethysmography to evaluate breathing in infants at risk for postoperative apnea, 739
Brull R. See *Lo N.*
Bryson GL. See *Murto K.*
Bryson GL. Waiting for hip fracture repair – Do outcomes and patients suffer? [editorial], 135
Buchman TG. See *Froeblich KF.*
Buis T. See *Katz J.*
Burns KEA, McLaren A. A critical review of thromboembolic complications associated with central venous catheters, 532
Bybahn C, Nemetz S, Breitkreutz R, Zwissler B, Kaufmann M, Meininger D. Brief report: Tracheal intubation using the Bonfils intubation fiberscope

or direct laryngoscopy for patients with a simulated difficult airway, 232

C

Cameron AJD. See Ng BKW.

Camous J, N'da A, Etienne-Julan M, Stéphan F. Anesthetic management of pregnant women with sickle cell disease – effect on postnatal sickling complications, 276

Canadian Critical Care Trials Group. See McIntyre LA.

Cardinal P. See Baxter AD.

Carli F. See Lauwick S.

Cattano D, Williamson P, Fukui K, Avidan M, Evers AS, Olney JW, Young C. Potential of xenon to induce or to protect against neuroapoptosis in the developing mouse brain, 429

Chan MTV. See Gelb AW.

Chan VWS. See Lo N.

Chandra DB. See Crabtree NA.

Chanséaume S. See Perbet S.

Chassard D. See Bouvet L.

Chau A, Wu J, Ansermino M, Tredwell S, Purdy R. A Jehovah's Witness child with hemophilia B and factor IX inhibitors undergoing scoliosis surgery, 47

Chelly JE, Uskova A, Merman R, Szczodry D. A multifactorial approach to the factors influencing determination of paravertebral depth, 587

Chen J. See Xu Y.

Chen JY. See Yang YL.

Chen W. See Xu Y.

Chinnappa V, Chung F. Post-discharge nausea and vomiting: an overlooked aspect of ambulatory anesthesia? [editorial], 565

Choi PT. See Ansermino JM.

Chouinard P. See Huot M-P.

Chu CC, Wu SZ, Su WL, Shieh JP, Kao CH, Ho ST, Wang JJ. Subcutaneous injection of inhaled anesthetics produces cutaneous analgesia, 290

Chu CC. See also Yang YL.

Chung F. See Chinnappa V.

Chung FF. See Zaki A.

Cinel I, Jean S, Tay C, Gratz I, Deal E, Parrillo JE, Dellinger RP. Case report: Vibration response imaging findings following inadvertent esophageal intubation, 172

Cohen L. See Katz J.

Constantin J-M. See Perbet S.

Cook DJ. See McIntyre LA.

Costello JF, Balki M. Cesarean delivery under ultrasound-guided spinal anesthesia, in a parturient with poliomyelitis and Harrington instrumentation, 606

Côté G, Denault A. Transesophageal echocardiography-related complications, 622

Cousineau J. See Hemmerling TM.

Cox RG. See Lardner DRR.

Crabtree NA, Chandra DB, Weiss ID, Joo HS, Naik VN. Fiberoptic airway training: correlation of simulator performance and clinical skill, 100

Crawford MW. See McDonnell C.

Crosby E. Innovation in medical practice: from new idea to standard of care [editorial], 328

Crystal GJ, El-Orbany M, Zhou X, Salem MR, Kim S-J. Hemodilution does not alter the coronary vasodilating effects of endogenous or exogenous nitric oxide, 507

Cuvillon P. See Tanoubi I.

D

Danelli G, Baciarello M, Di Cianni S, Zasa M, De Marco G, Adamanti S, Fanelli G. Effects of baricity of 0.5% or 0.75% levobupivacaine on the onset time of spinal anesthesia: a randomized trial, 501

Dash PK. See Misra S.

Davidson E. See Ginosar Y.

De Marco G. See Danelli G.

Deal E. See Cinel I.

Debrouwere R. See Tenenbein PK.

Decarie P. See Hemmerling TM.

Delaney A. See Bagshaw SM.

Dellinger RP. See Cinel I.

Denault A. See Côté G.; Deschamps A.

Deschamps A, Denault A. Analysis of heart rate variability: a useful tool to evaluate autonomic tone in the anesthetized patient? [editorial], 208

Dhingra V. See McIntyre LA.

Dhir AK. See Bellingham GA.

Dhir S, Balasubramanian S, Ross D. Ultrasound-guided peripheral regional blockade in patients with Charcot-Marie-Tooth disease: a review of three cases, 515

Di Cianni S. See Danelli G.

Dickinson D. See Lardner DRR.

Dillane D, Finucane BT. Bupivacaine cardiotoxicity – hypercarbia is bad but hypocapnia may be worse [editorial], 807

Dillane D. See also Tsui B.; Tsui BCH.

Dobkowski W. See Singh SI.

Donati F, Plaud B. Tracheal intubation: optimal conditions, vocal cord damage, and allergy [editorial], 663

Dosani M. See Ansermino JM.

Downie J, Rajotte C, Shea A. Pre-mortem transplantation optimizing interventions: the legal status of consent, 458

Drolet P. See Tanoubi I.

Drummond J. See Bagshaw SM.

Duke PC. See Tenenbein PK.

E

El-Beheiry H. See Lo N.

El-Emam K. See Murto K.

El-Orbany M. See Crystal GJ.

Elchalal U. See Ginosar Y.

Enns J. See Tenenbein PK.

Etienne-Julan M. See Camous J.

Evers AS. See Cattano D.

Ewen A. See Lardner DRR.

F

Fanelli G. See Danelli G.

Farrell C. See Bagshaw SM.

Fayad A. Images in Anesthesia: Echocardiography images of endovascular mal-aligned stent grafts, 306

———. Images in Anesthesia: Echocardiography images of inferior vena cava tumour thrombus in patient with renal cell carcinoma, 557

———. Images in Anesthesia: Thoracic endovascular stent graft with a bird's beak sign, 785

Feldman BM. See Wijesundera DN.

Feldman L. See Lauwick S.

Fergusson D. See McIntyre LA.

Ferraro P. See Huot M-P.

Field J. See Rang ST.

Finlayson RJ. See Tran DQH.

Finucane BT. Canadian contributions to the introduction and use of divinyl ether, 853

Finucane BT. See also Dillane D.

Fortier LP. See Tanoubi I.

Fried G. See Lauwick S.

Fröehlich KF, Graham MR, Buchman TG, Girling LG, Scafetta N, West BJ, Walker EK-Y, McManus BM, Mutch WAC. Physiological noise versus white noise to drive a variable ventilator in a porcine model of lung injury, 577

Fukui K. See Cattano D.

G

Galiana HL. See Brown KA.

Gallot D. See Perbet S.

Gandhi SD. See Klein TG.

Gebber GL, Barman SM. Variable rate ventilation strategies for the injured lung [editorial], 572

Gelb AW, Chan MTV. Hyperventilation – an ill wind that sometimes blows good [editorial], 735

George RB, Habib AS, Allen TK, Muir HA. Brief report: A randomized controlled trial of Synera™

versus lidocaine for epidural needle insertion in labouring parturients, 168

Gilon I. Analgesia controlled with patience: towards a better understanding of analgesic self-administration behaviour [editorial], 75

Ginosar Y, Weiniger C, Elchalal U, Davidson E.

Emergency Cesarean delivery for umbilical cord prolapse: the head-down, knee-chest prone-position for spinal anesthesia, 612

Girard F. See Huot M-P.

Girling LG. See Fröehlich KF.

Goodman BT, Richardson MG. Case report: Unilateral negative pressure pulmonary edema – a complication of endobronchial intubation, 691

Graham MR. See Fröehlich KF.

Granton J. See McIntyre LA.

Gratz I. See Cinel I.

Grocott HP. Hyperglycemia and postoperative cognitive dysfunction: another call for better glycemic control? [editorial], 140

Gründling M. See Lehmann C.

Guay J. First, do no harm: balancing the risks and benefits of regional anesthesia in patients with underlying neurological disease [editorial], 489

Günkel L. See Staier K.

H

Habib AS. See George RB.

Hamstra J. See Schwalm J-D.

Hare GMT. Xenon anesthesia: safe, protective and neurotoxic? [editorial], 403

Harris EA, Arheart KL, Penning DH. Endotracheal tube malposition within the pediatric population: a common event despite clinical evidence of correct placement, 685

Hebert PC. See McIntyre LA.

Hemmerling TM, Le N, Decarie P, Cousineau J, Bracco D. Total intravenous anesthesia with propofol augments the potency of mivacurium, 351

Hirata N. See Kamada N.

Ho ST. See Chu CC.

Hooper J. See Baxter AD.

Hooshangi H, Wong DT. Brief review: The Cobra perilaryngeal airway (CobraPLA®) and the Streamlined Liner of Pharyngeal Airway (SLIPA™) supraglottic airways, 177

Hu Z-Y, Lin P-T, Liu J, Liao D-Q. Remifentanyl induces L-type Ca^{2+} channel inhibition in human mesenteric arterial smooth muscle cells, 238

Hull R. See McDonnell C.

Hung O. See Lehmann C.

Huot M-P, Chouinard P, Girard F, Ruel M, Lafontaine ER, Ferraro P. Gabapentin does not reduce

post-thoracotomy shoulder pain: a randomized, double-blind placebo-controlled study, 337

I

Iqbal Z. See Klein TG.

Irving C. See Rang ST.

J

Jacka MJ. See Scozzafava J.

Jacquot-Laperrière S. See Bouvet L.

Jean S. See Cinel I.

Jhamandas JH. See Scozzafava J.

Jickling G. See Scozzafava J.

Joo HS. See Crabtree NA.

K

Kalow W. The relation of plasma cholinesterases to response to clinical doses of succinylcholine [From the Archives], 859

Kamada N, Kanaya N, Hirata N, Kimura S, Namiki A. Cardioprotective effects of propofol in isolated ischemia-reperfused guinea pig hearts: role of K_{ATP} channels and GSK-3 β , 595

Kanaya N. See Kamada N.

Kao CH. See Chu CC.

Kapilamoorthy TR. See Misra S.

Karkouti K. See Naughton F.; Wasowicz M.

Katz J, Buis T, Cohen L. Locked out and still knocking: predictors of excessive demands for postoperative intravenous patient-controlled analgesia, 88

Kaufmann M. See Bybahn C.

Kearney RE. See Brown KA.

Keyl C. See Staier K.

Kim D-K, Kim H-K, Lee K-M, Shin H-Y, Ryu J-S. Poor performance of the pediatric airway exchange catheter in adults with cervical spine immobilization, 748

Kim DJ. See Lauwick S.

Kim H-K. See Kim D-K.

Kim JH, Schwinn DA, Landau R. Pharmacogenomics and perioperative medicine – Implications for modern clinical practice [editorial], 799

Kim S-J. See Crystal GJ.

Kimura S. See Kamada N.

King J. See Murto K.

Klein TG, Parkins DG, Gandhi SD, Iqbal Z, Schmeling WT, Pagel PS. Pseudomembranous supraglottitis with airway compromise in a patient with recurrent tonsillar carcinoma, 42

Koshy T. See Misra S.

Kost K. See Uria M.

Kowalski SE. See Tenenbein PK.

Kuczkowski KM. See van Zundert A.

Kundu A, Sano Y, Pagel PS. Case report: Delayed presentation of postural headache in an adolescent girl after microscopic lumbar discectomy, 696

L

Lafontaine ER. See Huot M-P.

Lai HY. See Yang YL.

Landau R. See Kim JH.

Lardner DRR, Cox RG, Ewen A, Dickinson D. Comparison of laryngeal mask airway (LMA)-Proseal™ and the LMA-Classic™ in ventilated children receiving neuromuscular blockade, 29

Lauwick S, Kim DJ, Michelagnoli G, Mistraretti G, Feldman L, Fried G, Carli F. Intraoperative infusion of lidocaine reduces postoperative fentanyl requirements in patients undergoing laparoscopic cholecystectomy, 754

Le N. See Hemmerling TM.

Lee K-M. See Kim D-K.

Lee Y. See Yang YL.

Lehmann C, Scheibe R, Schade M, Meissner K, Gründling M, Usichenko T, Wendt M, Hung O, Whynot S, Murphy M, Pavlovic D. Effects of activated protein C on the mesenteric microcirculation and cytokine release during experimental endotoxemia, 155

Lerman J. What's good for the goose, may not be good for the gosling [off-label drug use in children] [editorial], 82

Lessard MR. See Tremblay M.

Liang R. See Ng, BKW.

Liao D-Q. See Hu Z-Y.

Lin P-T. See Hu Z-Y.

Liu J. See Hu Z-Y.

Lo N, Brull R, Perlas A, Chan VWS, McCartney CJL, Sacco R, El-Beheiry H. Evolution of ultrasound guided axillary brachial plexus blockade: retrospective analysis of 662 blocks, 408

Lou F. See Xu Y.

Lowe JE. See Barbeito A.

Luke PP. See Bellingham GA.

Luo C. See Zhu T.

M

MacDougall P, Slinger P. Post-thoracotomy shoulder pain and gabapentin: a tale of two enigmas [editorial], 323

Magder S. See McIntyre LA.

Maguire D. See Tenenbein PK.

Manikandan S. See Misra S.

Mark JB. See Barbeito A.

McCartney CJL. See Lo N.

McCluskey SA. See Wasowicz M.; Zhu T.

- McDonnell C, Zaarour C, Hull R, Thalayasingam P, Pehora C, Abier J, Crawford MW. Pre-treatment with morphine does not prevent the development of remifentanyl-induced hyperalgesia, 813
- McIntyre LA, Fergusson D, Cook DJ, Rankin N, Dhingra V, Granton J, Magder S, Stiell I, Taljaard M, Hebert PC, for the Canadian Critical Care Trials Group. Fluid resuscitation in the management of early septic shock (FINES): a randomized controlled feasibility trial, 819
- McLaren A. See Burns KEA.
- McManus BM. See Froeblich KF.
- Meeusen V. See van Zundert A.
- Meggison H. See Brindley PG.
- Meineri M. See Wasowicz M.
- Meininger D. See Bybahn C.
- Meissner K. See Lehmann C.
- Meng L, Williams EL. Case report: Treatment of rocuronium-induced anaphylactic shock with vasopressin, 437
- Merman R. See Chelly JE.
- Meyers M. See Tenenbein PK.
- Michelagnoli G. See Lauwick S.
- Miller DR. Disclosure of conflicts of interest in biomedical publications [editorial], 265
- Misra S, Dash PK, Koshy T, Manikandan S, Unnikrishnan M, Kapilamoorthy TR. Images in Anesthesia: Airway implications of post-ductal coarctation of the aorta and an aberrant right subclavian artery, 651
- Mistraletti G. See Lauwick S.
- Mochizuki T, Sato S. Hypocapnia prolongs bradycardia induced by bupivacaine or levobupivacaine in isolated rat hearts, 836
- Moher D. See Murto K.
- Muir HA. See George RB.
- Muirhead B. See Tenenbein PK.
- Mulji A. See Schwalm J-D.
- Muñoz L. See Tran DQH.
- Murphy M. See Lehmann C.
- Murto K, Bryson GL, Abushahwan I, King J, Moher D, El-Emam K, Splinter W. Parents are reluctant to use technological means of communication in pediatric day care, 214
- Mutch WAC. See Froeblich KF.
- N**
- Nadeau L. See Tremblay M.
- Naik VN. See Crabtree NA.
- Nakajima Y. See Shibasaki M.
- Namiki A. See Kamada N.
- Naughton F, Wijesundera D, Karkouti K, Tait G, Beattie WS. N-acetylcysteine to reduce renal failure after cardiac surgery: a systematic review and meta-analysis, 827
- N'da A. See Camous J.
- Ndjeundo PG. See Brouh Y.
- Nemetz S. See Bybahn C.
- Ng BKW, Cameron AJD, Liang R, Rahman H. Serotonin syndrome following methylene blue infusion during parathyroidectomy: a case report and literature review, 36
- Nicole PC. See Tremblay M.
- Nouvellon E. See Tanoubi I.
- O**
- Obe Y. See Shiga T.
- Olney JW. See Cattano D.
- P**
- Page M, Rimmelé T. Filtration et adsorption plasmatique couplées : principe et perspectives dans le traitement du choc septique [Coupled plasma filtration adsorption: rationale and perspectives in septic shock], 847
- Pagel PS. See Klein TG.; Kundu A.
- Pang Q. See Zhu T.
- Parent M-C, Rinfret S. The unresolved issues with risk stratification and management of patients with coronary artery disease undergoing major vascular surgery, 542
- Parkins DG. See Klein TG.
- Parlow JL, van Vlymen JM. The methylene blues: anticipating adverse reactions to non-anesthetic drugs, 1
- Parrillo JE. See Cinel I.
- Patel R. See Baxter AD.
- Pavlovic D. See Lehmann C.
- Pehora C. See McDonnell C.
- Penning DH. See Harris EA.
- Perbet S, Constantin J-M, Bolandard F, Vignaud M, Gallot D, Chanséaume S, Zénut M, Bazin J-E. Ventilation non-invasive pour œdème pulmonaire attribué aux tocolytiques lors du travail d'une grossesse gémellaire [Non-invasive ventilation for pulmonary edema associated with tocolytic agents during labour for a twin pregnancy], 769
- Perlas A. See Lo N.
- Pete Y. See Brouh Y.
- Pillay J. See Tsui B.
- Plaud B. See Donati F.
- Preston R. Challenges in obstetric anesthesia and analgesia, 386
- Purdy R. See Chau A.
- R**
- Rahman H. See Ng BKW.

- Rajotte C. See Downie J.
- Rang ST, Field J, Irving C. Serotonin toxicity caused by an interaction between fentanyl and paroxetine, 521
- Rankin N. See McIntyre LA.
- Raymond CJ. See Wagner K.
- Ree RM, Bowering JB, Schwarz SKW. Case series: Anesthesia for retrograde percutaneous aortic valve replacement – experience with the first 40 patients, 761
- Richardson MG. See Goodman BT.
- Rigamonti A, Ackery A, Baker AJ. Transcranial Doppler monitoring in subarachnoid hemorrhage: a critical tool in critical care, 112
- Rimmelé T. See Page M.
- Rinfret S. See Parent M-C.
- Ripart J. See Tanoubi I.
- Ross D. See Dhir S.
- Roth S. See Archer D.
- Roze des Ordons A, Townsend DR. Trachlight™ management of succinylcholine-induced subluxation of the temporomandibular joint: a case report and review of the literature, 616
- Ruel M. See Huot M-P.
- Russo G. See Tran DQH.
- Ryu J-S. See Kim D-K.
- S
- Sacco R. See Lo N.
- Saha TK. See Zamora JE.
- Salem MR. See Crystal GJ.
- Sano Y. See Kundu A.
- Sato S. See Mochizuki T.
- Scafetta N. See Froehlich KF.
- Schade M. See Lehmann C.
- Scheibe R. See Lehmann C.
- Schmeling WT. See Klein TG.
- Schricker T. See Uria M.
- Schwalm J-D, Hamstra J, Mulji A, Velianou JL. Cardiac shock following nasal septoplasty: a case report and review of the literature, 376
- Schwarz SKW. See Ansermino JM.; Ree RM.
- Schwinn DA. See Kim JH.
- Scozzafava J, Jicking G, Jhamandas JH, Jacka MJ. Guillain-Barré syndrome following thoracic spinal cord trauma, 441
- Shea A. See Downie J.
- Shibasaki M, Nakajima Y. Images in Anesthesia: The role of transesophageal echocardiography in coronary artery fistula surgery, 245
- Shieh JP. See Chu CC.
- Shiga T, Wajima Z, Ohe Y. Is operative delay associated with increased mortality of hip fracture patients? Systematic review, meta-analysis, and meta-regression, 146
- Shin H-Y. See Kim D-K.
- Simmonds K. See Brindley PG.
- Simmonds M. See Brindley PG.
- Singh SI, Brooks C, Dobkowski W. General anesthesia using remifentanyl for Cesarean delivery in a parturient with Marfan's syndrome, 526
- Slinger P. See MacDougall P.
- Smith CE. See Wagner K.
- Splinter W. See Murto K.
- Srinivas C. See Wasowicz M.
- Staier K, Wiesenack C, Güntel L, Keyl C. Cardiac output determination by thermodilution and arterial pulse waveform analysis in patients undergoing aortic valve replacement, 22
- Stéphan F. See Camous J.
- Stiell I. See McIntyre LA.
- Stoian A. See Bouvet L.
- Su WL. See Chu CC.
- Swanson E. See Wagner K.
- Szczodry D. See Chelly JE.
- T
- Tait G. See Naughton F.
- Taljaard M. See McIntyre LA.
- Tan Z. See Xu Y.
- Tanoubi I, Cuvillon P, Nouvellon E, Fortier LP, Drollet P, Ripart J. Étude de cas : Anesthésie locorégionale sciatique et fémorale bilatérale chez un polytraumatisé [Case report: Bilateral femoral and sciatic regional anesthesia in a polytraumatized patient], 371
- Tay C. See Cinel I.
- Tenenbein PK, Debrouwere R, Maguire D, Duke PC, Muirhead B, Enns J, Meyers M, Wolfe K, Kowalski SE. Thoracic epidural analgesia improves pulmonary function in patients undergoing cardiac surgery, 344
- Tetchi YD. See Brouh Y.
- Thalayasingam P. See McDonnell C.
- Townsend DR. See Roze des Ordons A.
- Tran DQH, Muñoz L, Russo G, Finlayson RJ. Ultrasonography and stimulating perineural catheters for nerve blocks: a review of the evidence, 447
- Tredwell S. See Chau A.
- Tremblay M, Lessard MR, Trépanier CA, Nicole PC, Nadeau L, Turcotte G. Stability of norepinephrine infusions prepared in dextrose and normal saline solutions, 163
- Trépanier CA. See Tremblay M.

- Tsui B, Dillane D, Pillay J, Walji A.* Ultrasound imaging in cadavers: training in imaging for regional blockade at the trunk, 105
- Tsui BCH, Dillane D.* Continuing medical education: Ultrasound guidance for regional blockade – basic concepts, 869
- Turcotte G.* See *Tremblay M.*
- U**
- Unnikrishnan M.* See *Misra S.*
- Uria M, Kost K, Schricker T, Backman SB.* Case report: Nasotracheal intubation – look before leaping to assess the laryngeal view, 302
- Usichenko T.* See *Lehmann C.*
- Uskova A.* See *Chelly JE.*
- V**
- van Vlymen JM.* See *Parlow JL.*
- van Zundert A, Kuczkowski KM, van Zundert T, Meeusen V.* Images in Anesthesia: The art of maintaining a patent airway: an old problem – new evidence, 380
- van Zundert T.* See *van Zundert A.*
- Velianou JL.* See *Schwalm J-D.*
- Vignaud M.* See *Perbet S.*
- W**
- Wagner K, Swanson E, Raymond CJ, Smith CE.* Comparison of two convective warming systems during major abdominal and orthopedic surgery, 358
- Wajima Z.* See *Shiga T.*
- Walji A.* See *Tsui B.*
- Walker EK-Y.* See *Froeblich KF.*
- Wang JJ.* See *Chu CC.; Yang YL.*
- Wang PK.* See *Yang YL.*
- Wasowicz M, Srinivas C, Meineri M, Banks B, McCluskey SA, Karkouti K.* Technical report: Analysis of citrated blood with thromboelastography: comparison with fresh blood samples, 284
- Weiniger C.* See *Ginosar Y.*
- Weiss ID.* See *Crabtree NA.*
- Wendt M.* See *Lehmann C.*
- West BJ.* See *Froeblich KF.*
- White PF.* Pain management after ambulatory surgery – Where is the disconnect? [editorial], 201
- Whynot S.* See *Lehmann C.*
- Wiesenack C.* See *Stair K.*
- Wijeyesundera D.* See *Naughton F.*
- Wijeyesundera DN, Feldman BM.* Quality, not just quantity: the role of qualitative methods in anesthesia research [editorial], 670
- Williams EL.* See *Meng L.*
- Williamson P.* See *Cattano D.*
- Wolfe K.* See *Tenenbein PK.*
- Wong DT.* See *Hooshangi H.*
- Wong J.* See *Zaki A.*
- Wong SSF.* Images in Anesthesia: Acute aortic dissection with intimal intussusception: transesophageal echocardiographic appearances, 715
- Wu J.* See *Chau A.*
- Wu SZ.* See *Chu CC.*
- X**
- Xu Y, Tan Z, Chen J, Lou F, Chen W.* Intravenous flurbiprofen axetil accelerates restoration of bowel function after colorectal surgery, 414
- Y**
- Yang H, Beattie WS.* POISE results and perioperative β -blockade [editorial], 727
- Yang YL, Lai HY, Wang JJ, Wang PK, Chen JY, Chu CC, Lee Y.* The timing of haloperidol administration does not affect its prophylactic antiemetic efficacy, 270
- Yapobi Y.* See *Brouh Y.*
- Young C.* See *Cattano D.*
- Z**
- Zaarour C.* See *McDonnell C.*
- Zaki A, Abrishami A, Wong J, Chung FF.* Interventions in the preoperative clinic for long term smoking cessation: a quantitative systemic review, 11
- Zamora JE, Saba TK.* Combitube™ rescue for Cesarean delivery followed by ninth and twelfth cranial nerve dysfunction, 779
- Zasa M.* See *Danelli G.*
- Zénut M.* See *Perbet S.*
- Zhou X.* See *Crystal GJ.*
- Zhu T, Pang Q, McCluskey SA, Luo C.* Effect of propofol on hepatic blood flow and oxygen balance in rabbits, 364
- Zwissler B.* See *Bybahn C.*